



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

SAFETY DATA SHEET FIRE PUTTY

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name FIRE PUTTY
Product No.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Sealant.

1.3. Details of the supplier of the safety data sheet

Supplier Auto 4 Ltd
Unit 4a Park Lane
Business Court
Kirkby In Ashfield
Nottinghamshire
NG17 9GU
01623 727360

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards Not classified.

Human health Skin Irrit. 2 - H315; Eye Irrit. 2 - H319

Environment Not classified.

Classification (1999/45/EEC) Xi;R36/38.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

See section 11 for additional information on health hazards.

2.2. Label elements

Label In Accordance With (EC) No. 1272/2008



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane, Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

Orderline:0845 0770 190

F.+44(0)1623 721950

www.auto4.co.uk

Automotive Equipment, Tools and Consumables



Signal Word

Warning

Hazard Statements

H315

Causes skin irritation.

H319

Causes serious eye irritation.

Precautionary Statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+313

If skin irritation occurs: Get medical advice/attention.

P337+313

If eye irritation persists: Get medical advice/attention.

Supplementary Precautionary Statements

P264

Wash contaminated skin thoroughly after handling.

P321

Specific treatment (see medical advice on this label).

P302+352

IF ON SKIN: Wash with plenty of soap and water.

P362

Take off contaminated clothing and wash before reuse.

2.3. Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

SODIUM SILICATE	50.0 - <75.0%
CAS-No.: 1344-09-8	EC No.:
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36/38.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Remove affected person from source of contamination. Get medical attention if any discomfort continues.

Inhalation

Get medical attention if any discomfort continues.

Ingestion

Consult a physician for specific advice

Skin contact

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above.

Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Do not rub eye.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

NOTE! Effects may be delayed. Keep affected person under observation.

Inhalation

No specific symptoms noted.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact

Skin irritation. Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Blistering may occur.

Eye contact

Irritating and may cause redness and pain. May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

!

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Leave danger zone immediately.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

6.3. Methods and material for containment and cleaning up



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

For waste disposal, see section 13. When dealing with a spillage, please consult the section relating to suitable protective measures. Provide ventilation and confine spill. Do not allow runoff to sewer. Absorb spillage with non-combustible, absorbent material.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Avoid eating, drinking and smoking when using the product. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep upright. Store in tightly closed original container.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ingredient Comments

No exposure limits noted for ingredient(s).

8.2. Exposure controls

Protective equipment



Process conditions

Use engineering controls to reduce air contamination to permissible exposure level.

Engineering measures

Weighing/dispensing only in well ventilated area.

Respiratory equipment

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

Hand protection

Protective gloves should be used if there is a risk of direct contact or splash. Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Eye protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

Other Protection



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

Wear suitable protective clothing as protection against splashing or contamination. Hygiene measures

Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Wash hands after contact. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet or contaminated. Wash contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Viscous Paste
Solubility	Soluble in water.
Melting point (°C)	
Not determined.	
Vapour density (air=1)	
Not determined.	
Vapour pressure	
Not determined.	
Evaporation rate	
Not determined.	
Decomposition temperature (°C)	
Not determined.	
Odour Threshold, Lower	
Not determined.	
Odour Threshold, Upper	
Not determined.	
Auto Ignition Temperature (°C)	
Not determined. Flammability	
Limit - Lower(%)	
Not determined. Flammability	
Limit - Upper(%)	Not determined.
Partition Coefficient (N-Octanol/Water)	
Not determined.	
Oxidising properties	
Not available.	



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reacts strongly with alkaline metals and metal powder.

10.2. Chemical stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

Not applicable.

10.4. Conditions to avoid

No specific conditions are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials To Avoid

Alkali metals. Powdered metal.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

No information available.

Health Warnings

Because of quantity and composition, the health hazard is small.



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

Acute Toxicity - Fish

Not available.

Acute Toxicity - Aquatic Invertebrates

Not available.

12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product. 12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not determined.

12.4. Mobility in soil

Adsorption/Desorption Coefficient

Not available.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU

criteria. 12.6. Other adverse effects

Not applicable.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Absorb in vermiculite or dry sand and dispose of at a licenced hazardous waste collection point.

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

14.3. Transport hazard class(es)

Transport Labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

Only trained personnel should use this material.

Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 28/04/2014

Revision 19

Supersedes date 10/04/2014 v18

Safety Data Sheet Status Approved.

Risk Phrases In Full

R36/38 Irritating to eyes and skin.



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables

Hazard Statements In Full

H319 Causes serious eye irritation.

H315 Causes skin irritation.



EQUIPPING THE TYRE INDUSTRY

Auto4 Ltd

Unit 4a, Park Lane Business Court, Park Lane,
Kirkby in Ashfield, Nottinghamshire, NG17 9GU

T.+44(0)1623 727360

sales@auto4.co.uk

F.+44(0)1623 721950

www.auto4.co.uk

Orderline:0845 0770 190

Automotive Equipment,
Tools and Consumables